

ATLAS | Atlas Square Flat Edge LED Downlight

Space-saving and multi-function downlight with edge-lit technology to assure maximum light distribution.

Project: _____ Date: _____

Type: _____ Contact: _____

HIGHLIGHTS

- Dimmable
- ETL Certificated
- 3CCT
- Integrated LED
- Easy installation
- Energy saving



120V/60Hz



80+
CRI



ETL Intertek



3000K 4000K 5000K



5 YEAR WARRANTY
Lifetime



Energy Saving



Easy to install



SPECIFICATIONS


| | | | |
|------------------|-----------------|-----------------|---------------------|
| Size | 5" x 5" x 0.63" | CRI | 80 |
| Light Source | LED | Dimming | N/A |
| Power Input | AC 120V / 60Hz | Lifetime (hrs) | 50000 |
| Watts (W) | 6 | Power Factor | 0.9 |
| Lumen (lm) | 360 | Operating Temp. | -20-40°C (-4-104°F) |
| Colour Temp. (K) | 3000/4000/5000 | Beam Angle | 100° |
| | | Location | Indoor |
| | | Materials | Plastic+Acrylic |
| | | Finish | Matte White |

COMPATIBLE DIMMERS

- Brand
- Lutron
- Leviton

PACKAGE

| | |
|--------------------|--------------------------|
| Net Weight | 11.52 lb |
| Master Case Qty | 24 |
| Master Case Size | 15.35" x 14.76" x 15.55" |
| Master Case Weight | 17.62 lb |



SPECIFICATIONS

| | | | |
|------------------|-----------------|-----------------|--------------------|
| Size | 7" x 7" x 0.63" | CRI | 80 |
| Light Source | LED | Dimming | N/A |
| Power Input | AC 120V / 60Hz | Lifetime (hrs) | 50000 |
| Watts (W) | 12 | Power Factor | 0.9 |
| Lumen (lm) | 840 | Operating Temp. | -20-40°C(-4-104°F) |
| Colour Temp. (K) | 3000/4000/5000 | Beam Angle | 100° |
| | | Location | Indoor |
| | | Materials | Plastic+Acrylic |
| | | Finish | Matte White |

COMPATIBLE DIMMERS

| | |
|--------------|--|
| Brand | |
| Lutron | |
| Levtion | |

PACKAGE

| | |
|--------------------|-------------------------|
| Net Weight | 15.12 lb |
| Master Case Qty | 18 |
| Master Case Size | 22.83" x 9.45" x 19.09" |
| Master Case Weight | 20.35 lb |

SPECIFICATIONS



| | | | |
|------------------|-----------------|-----------------|--------------------|
| Size | 9" x 9" x 0.63" | CRI | 80 |
| Light Source | LED | Dimming | N/A |
| Power Input | AC 120V / 60Hz | Lifetime (hrs) | 50000 |
| Watts (W) | 18 | Power Factor | 0.9 |
| Lumen (lm) | 1350 | Operating Temp. | -20-40°C(-4-104°F) |
| Colour Temp. (K) | 3000/4000/5000 | Beam Angle | 100° |
| | | Location | Indoor |
| | | Materials | Plastic+Acrylic |
| | | Finish | Matte White |


COMPATIBLE DIMMERS

| | |
|--------------|--|
| Brand | |
| Lutron | |
| Levtion | |

PACKAGE

| | |
|--------------------|--------------------------|
| Net Weight | 20.16 lb |
| Master Case Qty | 16 |
| Master Case Size | 20.28" x 10.43" x 22.64" |
| Master Case Weight | 26.39 lb |



SPECIFICATIONS


| | | | |
|------------------|-------------------|-----------------|---------------------|
| Size | 12" x 12" x 0.63" | CRI | 80 |
| Light Source | LED | Dimming | Yes |
| Power Input | AC 120V / 60Hz | Lifetime (hrs) | 50000 |
| Watts (W) | 24 | Power Factor | 0.9 |
| Lumen (lm) | 1680 | Operating Temp. | -20-40°C (-4-104°F) |
| Colour Temp. (K) | 3000/4000/5000 | Beam Angle | 100° |
| | | Location | Indoor |
| | | Materials | Plastic+Acrylic |
| | | Finish | Matte White |

COMPATIBLE DIMMERS
Brand

Lutron

Leviton

PACKAGE

Net Weight 26.40 lb

Master Case Qty 12

Master Case Size 29.92" x 14.17" x 14.57"

Master Case Weight 33.69 lb